The Trail Inventory of Cold Springs NWR

Hermiston, OR





Prepared By: Federal Highway Administration Central Federal Lands Highway Division June, 2013



TABLE OF CONTENTS

SECTION		PAGE
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CHANGES AND CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
IX.	GLOSSARY	i

NOTE TO USERS OR READERS

In this report, the reader may find a mix of dates associated with the condition assessment and photographs. Chapter 4 shows an updated condition assessment for each trail documented in this report. However there may be dates on the condition assessment pages that range from 2006 and 2007 to 2012. This occurred because the GPS dates of the trails originally rated in Cycle 1 were not updated when the cycle 3 assessment was done to in

2012. That GPS date is the basis for the Rating date in the report. Any new trail or section of trail that was collected and rated in Cycle 3 will have a rating date of 2012. While the rating dates may show a pre 2012 date, each trail was walked and its condition was assessed in 2012 during the Cycle 3 field season.

In Chapter 6 the reader may notice photographs with dates ranging from 2006 and 2007 to 2012. This occurs because the existing photographs from Cycle 1 were used if no significant or noticeable changes were seen in that location at the time of the Cycle 3 site visit.

The reader may also notice some of the feature photographs are used more than once. The practice of the same photograph being used for more than one feature was allowed during this cycle's data collection.

Cold Springs NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excellent		Others		Total	
Type	Miles	%	Miles	%	Miles	
Native	0.25	100%	0.00	0%	0.25	
Admin Road	0.00	0%	1.13	100%	1.13	
Total	0.25	18%	1.13	82%	1.38	

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellent		Others		Total	
Classification	Miles	%	Miles	%	Miles	
тсз	0.25	18%	1.13	82%	1.38	
Total	0.25	18%	1.13	82%	1.38	

^{*}Admin Roads are included in the inventory but are not rated for condition.


Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Max Grade- %	19	No	0.00	
T300	Trailhead	1	No	0.00	COSP_C3_04 74
T300	Begin Section	1	No	0.25	COSP_C3_04 75

sf - square feet If - linear feet

cf - cubic feet

Cold Springs NWR Trail Location Map







Trails ID

Station Name: Cold Springs NWR Org Code: 13581


Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T300	Memorial Marsh Trail	Admin Road	10001246	1.13	From Auto Tour Parking (Rte 902) to end of trail
T300	Memorial Marsh Trail	Native	10001246	0.25	From Auto Tour Parking (Rte 902) to end of trail

CHANGES TO THE FISH AND WILDLIFE SERVICE TRAIL INVENTORY REPORT

Cold Springs NWR

		Irails added to previous inventory:	
Trail #	Trail Name	Reason for Addition	
		Trails removed from previous inventory:	
Trail #	Trail Name	Reason for Removal	
		Trails modified from previous inventory:	
Trail #	Trail Name	Type of Modification	Description of Modification
Commen	ts:		
L			

TRAIL CONDITION





Trail Name: Memorial Marsh Trail Refuge Name: Cold Springs NWR **Trail Number:** T300 Region: 1

0.00

Excellent

Section Number 001 002 Section Length (miles) 0.25 1.13 10001246 10001246 SAMMS Number 05/22/2007 05/22/2007 Rating Date **Trail Section Information** TC3 TC3 Trail Class Native Admin Road Surface Type Surface Firmness Firm Firm 120 Width (inches) 24 Average Grade (%) 2.1 2.1 Average X-slope (%) 2.30 2.30 **Trail Condition Information Deferred Maintenance** \$12,341 CRV

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$12,341	0.00	Excellent

FCI

Condition

Total Length: 1.38 Miles

NOTE TO USERS OR READERS

This section shows an updated condition assessment for each trail documented in this report. However there may be dates on the condition assessment pages that range from 2006 and 2007 to 2012. This occurred because the GPS dates of the trails originally rated in Cycle 1 were not updated when the Cycle 3 assessment was done to in 2012. That GPS date is the basis for the Rating date in the report. Any new trail or section of trail that was collected and rated in Cycle 3 will have a rating date of 2012. While the rating dates may show a pre 2012 date, each trail was walked and its condition was assessed in 2012 during the Cycle 3 field season.

TRAIL DEFICIENCY

No Deficiencies

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300 STATION: Cold Springs NWR

DATE: 05/22/2007



Photo # COSP_C3_0474 - MP 0.00 - Trailhead

TRAIL NUMBER: T300 STATION: Cold Springs NWR

DATE: 05/22/2007



Photo # COSP_C3_0475 - MP 0.25 - Begin Section

PHOTOGRAPHIC SHEET

A NOTE TO USERS OR READERS

In this chapter the reader may notice photographs with dates ranging from 2006 and 2007 to 2012. This occurs because existing photographs from cycle 1 were used if no significant or noticeable changes were seen in that location at the time of the cycle 3 site visit.

The reader may also notice some photographs are used more than once. The practice of the same photograph being used for more than one feature was allowed during this cycle's data collection.

Glossary of Terms and Abbreviations

Acc Info Accessibility information available at trailhead.

Action Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

Alt SAMMS SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

AvgGrade The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

AvgSlope The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

Check Dam A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

Condition Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

Crib Wall Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

Def type Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

Maintenance (DM)

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

Facility

Condition Index (FCI)

DM/CRV

Grouped Features Grouped features include non-unique signs (mileposts,

interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Info Type Type of accessibility information available at trailhead:

brochure, sign or other.

Item Item on which the "Action" (see above) will be

performed.

Manage_Use Managed use of the trail: HIKE, BIKE, NSPC (non-

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

MP Distance of a trail feature or deficiency from the

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

Raised Trail Structure Boardwalk, Turnpike, Puncheon.

T Class Trail Class: I-V (see Appendix? for trail class

descriptions).

Tr Desig Trail Designation: Standard (Std), National Historic Trail

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Turnpike Trail tread elevated with dirt, rock or other aggregate

from parallel side ditches and held in place by logs.